



PRODUCT CATALOG

THE ART OF NATURAL STONE

GREENSTONE

ARCHITECTURAL | LANDSCAPE SUPPLY



Boulders and Ledgerrock



Canyon Gray Chunk Boulders

Rectangular, blocky boulders that are gray to olive green in color. Very consistent heights of 24" with flat top and bottom. Great for stacking large boulder retaining walls.



Glacial Granite Boulders

Smooth, rounded granite boulders. Pink, blue, white and green colors. Sizes range from 12"-36" in diameter.



Glacial Granite XL Boulders

Smooth, rounded granite boulders. Pink, blue, white and green colors. Sizes range from 36"-60"+.



Indian Creek Boulders

Irregular in shape, often rounded with dark browns, black, tans and subtle reds, lots of moss. Sizes range from 12"-60" long x 6"-24" tall.



Weathered Limestone Boulders

Chunky, extremely weathered character boulders. Cream to gray in color with lots of moss and lichen. Sizes range from 12"-60" long x 6"-24" tall.



Weathered Sandstone Boulders

Chunky, weathered boulders. Gray, brown and tan in color with subtle red tones, lots of moss and lichen. Great for boulder walls or specimen boulders. Sizes 12"-48" long x 12"-24" tall.



Weathered Stack Boulders

Blocky, linear weathered boulders with flat top and bottom that are ideal for stacking boulder retaining walls. Gray, brown and tan in color, lots of moss and lichen. Sizes range from 24"-72" long x 12"-22" tall.



Glacial Granite Cobbles

Smooth, rounded granite cobbles. Pink, blue, white and green colors. Sorted sizes range from 3"-5" and 6"-10". Bulk and palletized material available.



Indian Creek Cobbles

Chunky, flat, weathered cobblestone with dark browns, blacks, tans and subtle hues of red. Sorted sizes range from 4"-10". Bulk and palletized material available.



Kewanee Creek Flats

Hand-selected naturally smooth, flat stones. Very colorful with red, white, black, gray and burgundy tones. Stock size is 4"-7".



Mexican Beach Pebbles

Smooth, rounded stones, gray to black in color. This stone adds an exotic look to your landscape or water feature. Stock size is 2"-3".



Tennessee River Cobbles

Sandy-colored cobblestone with a naturally round, smooth texture. Great for edging, large ground cover, water features and dry creek beds. Sorted sizes range from 3"-5" and 5"-8".



Cobbles, Pebbles and River Rock

Flagstone and Steppers



Canyon Gray Steppers

A gray to olive green limestone. Great for large stepping stones. Available in 3"-4" thickness with top diameters ranging from 24"-48". Coverage averages 60 sf/ton.




Colfax Flagstone

Earth-toned sandstone with buff tans, dark black and brown hues. Available in 2"-3" thickness with top diameters ranging from 12"-36". Coverage averages 70-80 sf/ton.



Cumberland Mt. Brown Flagstone

Earth-toned sandstone with a vast array of colors ranging from rust to dark brown and tan with variegated copper swirls. Available in 2"-3" thickness with top diameters ranging from 12"-36". Coverage averages 70-80 sf/ton.



Pennsylvania Lilac Flagstone

Multi-colored sandstone with deep purple to burgundy tones. Irregular sheets are available in 1"-1 1/2" thicknesses with top diameters ranging from 12"-60". Coverage averages 100 sf/ton.



Ozark Weathered Fieldstone

A light gray to brown stone with lichens and moss. Very weathered and natural looking. Available in 2"-3" thickness with top diameters ranging from 12"-36". Coverage averages 80-90 sf/ton.



Pennsylvania Full-Colored Patterned Flagstone

This "cut" stone has a natural cleft surface on both sides producing a more formal patio or walkway with minimal joints. Available in standard 6" increments beginning at 12" x 12" to 24" x 30" or custom sizes up to 36" x 36". Thickness ranges from 1"-1 1/2".



Pennsylvania Full-Colored Irregular Flagstone

Multi-colored sandstone with colors of blue, green, gray and even purple. Irregular sheets are available in 1"-1 1/2" thicknesses with top diameters ranging from 12"-60". Coverage averages 100 sf/ton.



Tamaha Blue Flagstone

A beautiful gray to dark blue sandstone with a flat surface; will give an earthy feeling to your landscape. Available in 2"-3" thickness with top diameters ranging from 12"-36". Coverage averages 70-80 sf/ton.



Canyon Gray 3"-4" Slabs

Light gray to olive green limestone with highly textured beds. Available in 3"-4" thickness with top dia. ranging from 2'-4'. Coverage of 60-70 sf/ton.



Colfax 2"-3" Slabs

Earth-toned sandstone with buff tans, dark black and brown hues. Available in 2"-3" thickness with top dia. ranging from 2'-5'. Coverage of 60-70 sf/ton.



Cumberland Mt. Blue 2"-3" Slabs

Balanced light to medium gray in color with subtle blue overtones. Available in 2"-3" thickness with top diameters ranging from 2'-5'. Coverage averages 60-70 sf/ton.



Cumberland Mt. Brown 2"-3" Slabs

Earth-toned sandstone with a vast array of colors ranging from rust to dark brown and tan with variegated copper swirls. Available in 2"-3" thickness with top diameters ranging from 2'-5'. Coverage of 60-70 sf/ton.



Tamaha Blue 2"-3" Slabs

A beautiful gray to dark blue sandstone with a flat surface; will give an earthy feeling to your landscape. Available in 2"-3" thickness with top diameters ranging from 2'-5'. Coverage of 60-70 sf/ton.



Tamaha Blue Brown 2"-3" Slabs

A cool yet rustic sandstone with blue, brown and gray colors. It is very enticing with its smoky undertones. Available in 2"-3" thickness with top diameters ranging from 2'-5'. Coverage of 60-70 sf/ton.

Natural Stone Slabs



Edging



Colfax Snapped Edger

Soft earth-toned sandstone with colors of tan, buff and rust. Snapped front, back and sides with natural beds. Approx. 4" depths, 4" heights & 8"-24" lengths. Coverage avg. 100 lf/ton.



Indian Creek Edger

Flat and smooth sandstone with rounded edges. Colors range from brown to black with tan and subtle hues of red. Approx. 4"-6" depths, 4"-5" heights and 8"-16" lengths. Coverage avg. 100 lf/ton.



Indiana Limestone Tumbled Edger

Tumbled pieces of full-color limestone with cream, gray and buff colors. Great for landscape bed edging. 5" heights, 4" depths and 8"-24" lengths. Coverage averages 100 lf/ton.



Tamaha Blue Snapped Edger

A beautiful gray to dark blue sandstone that will give an earthy feeling to your landscape. Snapped front, back and sides with natural beds. Approximately 4" depths, 4" heights and 8"-24" lengths. Coverage averages 100 lf/ton.

To calculate the quantity of material needed:

1. Measure the linear footage or length of the desired area.
2. Divide the linear footage by the edging coverage (generally 100 linear feet/ton) to get the estimated tonnage required for the project.



Canyon Gray Irregular Steps

Light gray limestone natural slab steps with highly textured beds. Thickness ranges from 5"-7" on irregular shapes up to 60" wide.



Colfax Irregular Steps

Soft earth-toned sandstone with colors of tan, buff and rust. Thickness ranges from 5"-7" on irregular shapes up to 60" wide.



Cumberland Mt. Brown Irregular Steps

Earth-toned sandstone with a vast array of colors ranging from rust to dark brown and tan with variegated copper swirls. Thickness ranges from 5"-7" on irregular shapes up to 72" wide.



Ozark Weathered Fieldstone Irregular Steps

Flat, weathered gray, brown and black-colored sandstone with moss and lichens. Lots of character. Thickness ranges from 5"-7" on irregular shapes up to 60" wide.



Cumberland Mt. Blue Irregular Steps

The ideal neutral-colored sandstone to accompany any building material. Balanced light to medium gray in color with subtle blue overtones. Thickness ranges from 5"-7" on irregular shapes up to 72" wide.

Coverage:

Irregular Steps are sold by the pound and can range from 400 - 1200 lbs each depending on the size. A good rule of thumb is to estimate three Irregular Steps per ton.

Natural Stone Steps



Snapped Stone Steps



Colfax Snapped Steps

Earth-toned sandstone with buff tans and dark black and brown hues that give this stone a great deal of depth and character. Snapped front, back and sides with natural beds. Thickness ranges from 5"-7" x 18" deep and are available in 36" or 48" lengths.



Cumberland Mt. Blue Snapped Steps

Balanced light to medium gray in color with blue overtones and a textured but smooth surface. Snapped front, back and sides with natural beds. Thickness ranges from 5"-7" x 18" deep and are available in 36" or 48" lengths.



Cumberland Mt. Brown Snapped Steps

Earth-toned sandstone with a vast array of colors ranging from rust to dark brown and tan with variegated copper swirls. Snapped front, back and sides with natural beds. Thickness ranges from 5"-7" x 18" deep and are available in 36" or 48" lengths.



Indiana Limestone Snapped Steps

Snapped limestone steps with cream, gray and buff colors. Sawn top and bottom, snapped on four sides. Standard thickness of 6" x 16" depth. In-stock lengths of 36", 48" and 60". Special order sizes available upon request.



Canyon Gray Snapped Steps

Light gray to olive-colored limestone natural slab steps with highly textured beds. They are snapped front and back with natural sides. Thickness ranges from 5"-7" with 18"-24" depths and up to 5' lengths.



Tamaha Blue Snapped Steps

A beautiful gray to dark blue sandstone with a flat surface; will give an earthy feel to your landscape. Thickness ranges from 5"-7" x 18" deep and are available in 36" or 48" lengths.



Flatrock Buff Garden Wall

Flat, smooth-textured limestone. Colors range from light gray to buff. Average thickness is 1"-3" and approximately 6"-14" diameters. Coverage of 18-20 sf/ton.



Flatrock Gray Garden Wall

Flat, smooth-textured limestone. Colors range from light gray to olive. Average thickness is 1"-3" and approximately 6"-14" diameters. Coverage of 18-20 sf/ton.



Indian Creek Garden Wall

Flat and smooth sandstone with rounded edges. Colors range from tan or dark brown to black. Irregular-shaped pieces with an average thickness of 1"-3" and 5"-12" dia. Coverage of 18-20 sf/ton.



Ozark Weathered Fieldstone Garden Wall

Flat, weathered gray, brown and black colored sandstone with moss and lichen. Lots of character, 2"-3" thickness with approximately 6"-14" diameters. Coverage of 15-18 sf/ton.

To calculate the quantity of material needed:

1. First determine the length and height:

$$L \times H = \text{Sq. Ft.}$$

2. Divide by Garden Wall Stone Coverage (generally 20 square feet/ton) to calculate the tonnage required for the project.



Garden Wall Stone

Irregular Wall Stone



Canyon Buff Irregular Wall Stone

Gray to buff-colored limestone with highly textured beds. Average thickness is 3"-5" and approximately 12"-24" in diameter. Coverage of 15 sf/ton.



Canyon Gray Irregular Wall Stone

Light gray to olive green limestone with highly textured beds. Average thickness is 3"-5" and approximately 12"-24" in diameter. Coverage of 15 sf/ton.



Indian Creek Irregular Wall Stone

Flat and smooth sandstone with rounded edges. Colors range from tan or dark brown to black. Irregular-shaped pieces with an average thickness of 3"-5" and 8"-24" diameters. Coverage of 15 sf/ton.



Ozark Weathered Fieldstone Irregular Wall Stone

Flat, weathered gray, tan, brown and black-colored sandstone with moss and lichen. Lots of character, average thickness of 3"-5" with approximately 8"-24" diameters. Coverage of 15 sf/ton.



Weathered Sandstone Irregular Wall Stone

Flat, weathered gray to brown mossy colored sandstone with a fairly flat surface which makes installation quick and easy. Average thickness is 3"-5" and approximately 12"-24" in diameter. Coverage of 15 sf/ton.

To calculate the quantity of material needed:

1. Calculate the square footage:

$$L \times H = \text{Sq. Ft.}$$

2. Divide by the Irregular Wall Stone Coverage (generally 15 square feet/ton) to calculate the tonnage required for the project.



Canyon Gray Snapped Wall Stone

Light gray to olive green limestone with highly textured beds. Stone is snapped to an 8" depth with average thicknesses of 3"-5" and 8"-24" lengths. Coverage of 20 sf/ton.



Colfax Snapped Wall Stone

Soft earth-toned colors of tan, buff and rust. Stone is snapped to an 8" depth with average thicknesses of 3"-5" and 8"-24" lengths. Coverage of 20 sf/ton.



Tamaha Blue Snapped Wall Stone

A beautiful gray to dark blue sandstone with a flat surface; will give an earthy feeling to your landscape. Stone is snapped to an 8" depth with average thicknesses of 3"-5" and 8"-24" lengths. Coverage of 20 sf/ton.



Cumberland Mt. Brown Snapped Wall Stone

Earth-toned sandstone with a vast array of colors ranging from rust to dark brown and tan with variegated copper swirls. Stone is snapped to an 8" depth with average thicknesses of 3"-5" and 8"-24" lengths. Coverage of 20 sf/ton.



Cumberland Mt. Blue Snapped Wall Stone

Balanced light to medium gray colored sandstone with subtle blue overtones. Stone is snapped to an 8" depth with average thicknesses of 3"-5" and 8"-24" lengths. Coverage of 20 sf/ton.

To calculate the quantity of material needed:

1. Calculate the square footage:

$$L \times H = \text{Sq. Ft.}$$

2. Divide by the Snapped Wall Stone Coverage (generally 20 square feet/ton) to calculate the tonnage required for the project.



Snapped Wall Stone

Decorative Gravels



Autumn Blend

This is a smooth-textured river rock with a blend of browns, blues, tans and reds. Approximate coverage of 120 sf/ton.



Brassfield Fines

Crushed gravel with light buff, tan and gold colors. It's size is well-suited for pathways or as joint filler between flagstone. Approximate coverage of 110 sf/ton.



Chestnut Blend

This is a smooth-textured river rock with a blend of brown, tan, beige and black colors. Approximate coverage of 130 sf/ton.



Maylen Black

A crushed charcoal and black gravel with a hint of white quartz. Approximate coverage of 110 sf/ton.



Maylen Black Fines

A crushed charcoal and black gravel that is 3/8" and smaller. Great for crushed stone pathways or filling joints in a flagstone patio. Approximate coverage of 110 sf/ton.



Oversized River Rock

Smooth-textured river rock with a mixture of blue, gray, green and red colors. At 2"-5" in size, it can be used as a larger ground cover or to mimic a stream bed in water features. Approximate coverage of 60 sf/ton.



Royal Brassfield

Crushed gravel with light buff, tan and brown highlights. 3/4"-1" in size. Approximate coverage of 110 sf/ton.



Slate Chips

A flat, charcoal and black-colored stone that will give a bold contrast to your landscape design. Coverage of approximately 100 sf/ton.



Small Meramac

This is a smooth-textured river rock with tan, caramel and brown colors. Approximate coverage of 130 sf/ton.



Small Stony Creek River Rock

This is a smooth-textured river rock with a mixture of blue, gray, green and red colors. 3/4" and smaller in size. Approximate coverage of 100 sf/ton.



Stony Creek River Rock

This is a smooth-textured river rock with a mixture of blue, gray, green and red colors. 1"-1 1/2" in size. Approximate coverage of 100 sf/ton.



Tennessee River Rock

Sandy-colored stone with a smooth, rounded appearance. 2"-4" in size, great for dry creek beds. Approximate coverage of 60 sf/ton.



Trap Rock

Crushed gravel with dark gray, red, and maroon colors. This stone is an excellent replacement for dark mulch. Approximate coverage of 130 sf/ton.



#53 Gravel Paver Base

Crushed limestone used for driveways and compacted bases for flagstone and paver patios. Coverage varies per application.



#8 Crushed Limestone

Crushed limestone used for driveways and drainage. Coverage varies per application.



Pea Gravel

A round, 1/4" and smaller gravel that works great for filling around a playground or pathway. Coverage varies on application.



Coarse Sand

#23/24 coarse sand is used for patio bases or concrete mix. Coverage varies per application.



#8 River Rock

Smooth 3/4" river rock used for drainage and as an aggregate in concrete. Coverage varies per application.

Indiana Limestone

Add a unique appearance to any wall design, Indiana Limestone is the ideal choice for those looking to emphasize sophistication in their landscape.

Indiana limestone caps are available in 2 1/4" thickness. Stock sizes are 24"x24" and 28"x28".

Indiana limestone coping is available in 2 1/4" thickness. Stock sizes are 12"x48", 14"x48", 16"x48" and 18"x48".

Indiana limestone slabs are available in 2 1/4" and 3" thicknesses. Dimensions are roughly 4'x8'.



Indiana Limestone Pier Caps

Caps provide the perfect trim piece for stone and brick. Smooth and rock-faced sides available. Stock sizes are 2 1/4" thick in a 24"x24" or 28"x28". Special order sizes available upon request.



Indiana Limestone Rock-Faced Wall Caps

Wall Caps add a unique appearance to any wall design. Rock-faced caps are available in 2 1/4" thickness. In-stock sizes are 12", 14", 16" and 18" depths x 48" lengths. Special order sizes available upon request.



Indiana Limestone Sawn-Face Wall Caps

Wall Caps add a unique appearance to any wall design. Sawn-face Caps are available in 2 1/4" thickness. In-stock sizes are 12", 14", 16" and 18" depths x 48" lengths. Special order sizes available upon request.



Indiana Limestone Slabs

Rough-cut slabs are available in 2 1/4" and 3" thicknesses. Dimensions are roughly 4'x8'. Great for outdoor kitchen tops or cutting custom pieces on-site.



Indiana Limestone Steps

Snapped limestone steps with cream, gray and buff colors. Sawn top and bottom, snapped on four sides. Standard thickness of 6"x16" depth. In-stock lengths of 36", 48" and 60". Special order sizes available upon request.



Indiana Limestone Tumbled Edger

Tumbled pieces of full-color limestone with cream, gray and buff colors. Great for landscape bed edging. 5" heights, 4" depths and 8"-24" lengths. Coverage averages 100 lf/ton.

Stone and Paver Accessories



Gator Dust
Polymeric Stone Dust



Gator Maxx
Polymeric Sand



General Purpose
Diamond Blades



SRW Adhesives

Solvent-Based Adhesive
Rapid-Set Polyurethane Adhesive
Vertical Instant Lock



SRW High Gloss
Paver Seal



SRW Low Gloss
Paver Seal



SRW High Gloss
Stone Seal



SRW Stone Clean



SRW SB2 General
Landscape Fabric



SRW Pro Plus IV
Landscape Fabric



SRW SS5 & SS6 Woven
Soil Separator



Paver Rail Edging



Paver Rail Spikes



Fabric Staples

GREENSTONE

ARCHITECTURAL | LANDSCAPE SUPPLY

Terms and Conditions

- Most stone is available in other sizes than noted. Call for availability. Pricing may vary.
- Prices are subject to change without notice.
- Stone products are a natural product and subject to natural variances in color, size and quantity.
- Returns must be made within 30 days of invoice date and are subject to approval. There is a 25% restocking charge on all returned material.
- Credit will be applied to customer account.
- Special order or non-stock material - 50% non-refundable deposit prior to order placement.
- No returns on special order or non-stock material.
- Cut limestone is considered a special order. All special order policies apply.
- Payment accepted in cash, check, VISA, MasterCard, American Express, and Discover.

317.414.6881

**4455 E. Conner Street
Noblesville, IN 46060**

HOURS

8am - 5pm Monday - Friday | 9am - 2pm Saturday* | Closed Sunday

***Saturday Hours - April through October**

After-Hour Appointments are Always Welcome.

GREENSTONECOMPANY.COM